
Biomolecular Feedback Systems

Domitilla Del Vecchio
MIT

Richard M. Murray
Caltech

DRAFT v0.4a, January 16, 2011
© California Institute of Technology
All rights reserved.

This manuscript is for review purposes only and may not be reproduced, in whole or in part, without written consent from the authors.

Bibliography

- [1] K. J. Åström and R. M. Murray. *Feedback Systems: An Introduction for Scientists and Engineers*. Princeton University Press, 2008. Available at <http://www.cds.caltech.edu/~murray/amwiki>.
- [2] B. Alberts, D. Bray, J. Lewis, M. Raff, K. Roberts, and J. D. Watson. *The Molecular Biology of the Cell*. Garland Science, fifth edition edition, 2008.
- [3] U. Alon. *An introduction to systems biology. Design principles of biological circuits*. Chapman-Hall, 2007.
- [4] W. Arber and S. Linn. DNA modification and restriction. *Annual Review of Biochemistry*, 38:467–500, 1969.
- [5] A Arkin, J Ross, and H H McAdams. Stochastic kinetic analysis of developmental pathway bifurcation in phage lambda-infected escherichia coli cells. *Genetics*, 149(4):1633–48, 1998.
- [6] D. P. Atherton. *Nonlinear Control Engineering*. Van Nostrand, New York, 1975.
- [7] M. R. Atkinson, M. A. Savageau, J. T. Meyers, and A. J. Ninfa. Development of genetic circuitry exhibiting toggle switch or oscillatory behavior in *Escherichia coli*. *Cell*, pages 597–607, 2003.
- [8] D. W. Austin, M. S. Allen, J. M. McCollum, R. D. Dar, J. R. Wilgus, G. S. Sayler, N. F. Samatova, C. D. Cox, and M. L. Simpson. Gene network shaping of inherent noise spectra. *Nature*, 2076:608–611, 2006.
- [9] D. Baker, G. Church, J. Collins, D. Endy, J. Jacobson, J. Keasling, P. Modrich, C. Smolke, and R. Weiss. ENGINEERING LIFE: Building a FAB for biology. *Scientific American*, June 2006.
- [10] N Barkai and S Leibler. Robustness in simple biochemical networks. *Nature*, 387(6636):913–7, 1997.
- [11] A. Becskei and L. Serrano. Engineering stability in gene networks by autoregulation. *Nature*, 405(6786):590–593, 2000.
- [12] A. Becskei and L. Serrano. Engineering stability in gene networks by autoregulation. *Nature*, 405:590–593, 2000.
- [13] F. D. Bushman and M. Ptashne. Activation of transcription by the bacteriophage 434 repressor. *Proc. of the National Academy of Sciences*, pages 9353–9357, 1986.
- [14] B. Canton, A. Labno, and D. Endy. Refinement and standardization of synthetic biological parts and devices. *Nature Biotechnology*, 26(7):787–93, 2008.

- [15] E. Conrad, A. E. Mayo, A. J. Ninfa, and D. B. Forger. Rate constants rather than biochemical mechanism determine behaviour of genetic clocks. *J. R. Soc. Interface*, 2008.
- [16] A. J. Courey. *Mechanisms in Transcriptional Regulation*. Wiley-Blackwell, 2008.
- [17] H. de Jong. Modeling and simulation of genetic regulatory systems: A literature review. *Journal of Computational Biology*, 9:67–103, 2002.
- [18] D. Del Vecchio. Design and analysis of an activator-repressor clock in *e. coli*. In *Proc. American Control Conference*, 2007.
- [19] D. Del Vecchio and H. El-Samad. Repressilators and promotilators: Loop dynamics in gene regulatory networks. In *Proc. American Control Conference*, 2005.
- [20] D. Del Vecchio, A. J. Ninfa, and E. D. Sontag. Modular cell biology: Retroactivity and insulation. *Nature/EMBO Molecular Systems Biology*, 4:161, 2008.
- [21] L. Desborough and R. Miller. Increasing customer value of industrial control performance monitoring—Honeywell’s experience. In *Sixth International Conference on Chemical Process Control*. AIChE Symposium Series Number 326 (Vol. 98), 2002.
- [22] S. P. Ellner and J. Guckenheimer. *Dynamic Models in Biology*. Princeton University Press, Princeton, NJ, 2005.
- [23] M. B. Elowitz and S. Leibler. A synthetic oscillatory network of transcriptional regulators. *Nature*, 403(6767):335–338, 2000.
- [24] D. Endy. Foundations for engineering biology. *Nature*, 438:449–452, 2005.
- [25] J. A. Fax and R. M. Murray. Information flow and cooperative control of vehicle formations. *IEEE Transactions on Automatic Control*, 49(5):1465–1476, 2004.
- [26] T.S. Gardner, C.R. Cantor, and J.J. Collins. Construction of the genetic toggle switch in *Escherichia Coli*. *Nature*, page 339342, 2000.
- [27] Daniel G. Gibson, John I. Glass, Carole Lartigue, Vladimir N. Noskov, Ray-Yuan Chuang, Mikkel A. Algire, Gwynedd A. Benders, Michael G. Montague, Li Ma, Monzia M. Moodie, Chuck Merryman, Sanjay Vashee, Radha Krishnakumar, Nacyra Assad-Garcia, Cynthia Andrews-Pfannkoch, Evgeniya A. Denisova, Lei Young, Zhi-Qing Qi, Thomas H. Segall-Shapiro, Christopher H. Calvey, Prashanth P. Parmar, Clyde A. Hutchison, Hamilton O. Smith, and J. Craig Venter. Creation of a Bacterial Cell Controlled by a Chemically Synthesized Genome. *Science*, 329(5987):52–56, 2010.
- [28] D. T. Gillespie. *Markov Processes: An Introduction For Physical Scientists*. Academic Press, 1976.
- [29] D. T. Gillespie. A rigorous derivation of the chemical master equation. *Physica A*, 188:404–425, 1992.
- [30] A. Goldbeter. *Biochemical Oscillations and Cellular Rhythms: The molecular basis of periodic and chaotic behaviour*. Cambridge University Press, 1996.
- [31] D. Graham and D. McRuer. *Analysis of Nonlinear Control Systems*. Wiley, New York, 1961.

- [32] J. Greenblatt, J. R. Nodwell, and S. W. Mason. Transcriptional antitermination. *Nature*, 364(6436):401–406, 1993.
- [33] J. Greenblatt, J. R. Nodwell, and S. W. Mason. Transcriptional antitermination. *Nature*, 364(6436):401–406, 1993.
- [34] D. Hanahan and R. A. Weinberg. The hallmarks of cancer. *Cell*, 100:57–70, 2000.
- [35] L.H. Hartwell, J.J. Hopfield, S. Leibler, and A.W. Murray. From molecular to modular cell biology. *Nature*, 402:47–52, 1999.
- [36] S. Hastings, J. Tyson, and D. Webster. Existence of periodic solutions for negative feedback cellular control systems. *J. Differential Equations*, 25:39–64, 1977. .
- [37] R. Heinrich, B. G. Neel, and T. A. Rapoport. Mathematical models of protein kinase signal transduction. *Molecular Cell*, 9:957–970, 2002.
- [38] C. F. Huang and J. E. Ferrell. Ultrasensitivity in the mitogen-activated proteinkinase cascade. *Proc. Natl. Acad. Sci.*, 93(19):10078–10083, 1996.
- [39] T. P. Hughes. *Elmer Sperry: Inventor and Engineer*. John Hopkins University Press, Baltimore, MD, 1993.
- [40] B. Ingalls. A frequency domain approach to sensitivity analysis of biochemical networks. *Journal of Physical Chemistry B-Condensed Phase*, 108(3):143–152, 2004.
- [41] A. Isidori. *Nonlinear Control Systems*. Springer-Verlag, 2nd edition, 1989.
- [42] F. Jacob and J. Monod. Genetic regulatory mechanisms in the synthesis of proteins. *J. Mol. Biol.*, 3:318–56, 1961.
- [43] N. G. Van Kampen. *Stochastic Processes in Physics and Chemistry*. Elsevier, 1992.
- [44] H. K. Khalil. *Nonlinear Systems*. Macmillan, 1992.
- [45] B. N. Kholodenko, G. C. Brown, and J. B. Hoek. Diffusion control of protein phosphorylation in signal transduction pathways. *Biochemical Journal*, 350:901–907, 2000.
- [46] P. Kokotovic, H. K. Khalil, and J. O’Reilly. *Singular Perturbation Methods in Control*. SIAM, 1999.
- [47] J.-C. Leloup and A. Goldbeter. A molecular explanation for the long-term suppresion of circadian rhythms by a single light pulse. *American Journal of Physiology*, 280:1206–1212, 2001.
- [48] H. Madhani. *From a to alpha: Yeast as a Model for Cellular Differentiation*. CSHL Press, 2007.
- [49] J. Mallet-Paret and H.L. Smith. The Poincaré-Bendixson theorem for monotone cyclic feedback systems. *J. of Dynamics and Differential Equations.*, 2:367–421, 1990.
- [50] M. W. McFarland, editor. *The Papers of Wilbur and Orville Wright*. McGraw-Hill, New York, 1953.

- [51] C. J. Morton-Firth, T. S. Shimizu, and D. Bray. A free-energy-based stochastic simulation of the tar receptor complex. *Journal of Molecular Biology*, 286(4):1059–74, 1999.
- [52] J. D. Murray. *Mathematical Biology*, Vols. I and II. Springer-Verlag, New York, 3rd edition, 2004.
- [53] R. M. Murray. *Optimization-Based Control*. <http://www.cds.caltech.edu/~murray/amwiki/OBC>, Retrieved 20 December 2009.
- [54] National Center for Biotechnology Information. A science primer. Retrieved 20 December 2009, 2004. <http://www.ncbi.nlm.nih.gov/About/primer/genetics.html>.
- [55] National Human Genome Research Institute. Talking glossary of genetic terms. Retrieved 20 December 2009. <http://www.genome.gov/glossary>.
- [56] R. Phillips, J. Kondev, and J. Theriot. *Physical Biology of the Cell*. Garland Science, 2008.
- [57] J.W. Polderman and J.C. Willems. *Introduction to Mathematical Systems Theory: A Behavioral Approach*. Springer Verlag, 1998.
- [58] M. Ptashne. *A genetic switch*. Blackwell Science, Inc., 1992.
- [59] C. V. Rao, J. R. Kirby, and A. P. Arkin. Design and diversity in bacterial chemotaxis: A comparative study in escherichia coli and bacillus subtilis. *PLoS Biology*, 2(2):239–252, 2004.
- [60] N. Rosenfeld, M. B. Elowitz, and U. Alon. Negative autoregulation speeds the response times of transcription networks. *J. Molecular Biology*, 323(5):785–793, 2002.
- [61] G. De Rubertis and S. W. Davies. A genetic circuit amplifier: Design and simulation. *IEEE Trans. on Nanobioscience*, 2(4):239–246, 2003.
- [62] J. Saez-Rodriguez, A. Kremling, H. Conzelmann, K. Bettenbrock, and E. D. Gilles. Modular analysis of signal transduction networks. *IEEE Control Systems Magazine*, pages 35–52, 2004.
- [63] J. Saez-Rodriguez, A. Kremling, and E.D. Gilles. Dissecting the puzzle of life: modularization of signal transduction networks. *Computers and Chemical Engineering*, 29:619–629, 2005.
- [64] H. M. Sauro. The computational versatility of proteomic signaling networks. *Current Proteomics*, 1(1):67–81, 2004.
- [65] H. M. Sauro and B. Ingalls. MAPK cascades as feedback amplifiers. Technical report, <http://arxiv.org/abs/0710.5195>, Oct 2007.
- [66] H. M. Sauro and B. N. Kholodenko. Quantitative analysis of signaling networks. *Progress in Biophysics & Molecular Biology*, 86:5–43, 2004.
- [67] M. A. Savageau. Biochemical systems analysis. i. some mathematical properties of the rate law for the component enzymatic reactions. *J. Theoretical Biology*, 25:365–369, 1969.
- [68] D. L. Schilling and C. Belove. *Electronic Circuits: Discrete and Integrated*. McGraw Hill, 1968.

- [69] S. S. Shen-Orr, R. Milo, S. Mangan, and U. Alon. Network motifs in the transcriptional regulation network of *Escherichia coli*. *Nat. Genet.*, 31(1):64–68, 2002.
- [70] François St-Pierre and Drew Endy. Determination of cell fate selection during phage lambda infection. *Proc. of the National Academy of Sciences*, 105(52):20705–10, 2008.
- [71] D. Del Vecchio, A. J. Ninfa, and E. D. Sontag. A systems theory with retroactivity: Application to transcriptional modules. In *Proc. American Control Conference*, 2008.
- [72] L. Villa-Komaroff, A. Efstratiadis, S. Broome, P. Lomedico, R. Tizard, S. P. Naber, W. L. Chick, and W. Gilbert. A bacterial clone synthesizing proinsulin. *Proc. Natl. Acad. Sci. U.S.A.*, 75(8):372731, 1978.
- [73] T.-M. Yi, Y. Huang, M. I. Simon, and J. Doyle. Robust perfect adaptation in bacterial chemotaxis through integral feedback control. *Proc. of the National Academy of Sciences*, 97(9):4649–53, 2000.

Index

- Ω expansion, 4-13
- A site, A-22
- absorption, A-16
- acceptor site, A-22
- acetyl CoA, A-8
- acetylation, 1-21
- activated genes, A-18
- activator, 1-15, 2-25
- activators, A-41
- actuators, 1-23, 3-3
- adaptive/inducible repair, A-26
- adenine, A-28
- adenosine triphosphate (ATP), A-7, A-29
- aerobically, A-30
- aerospace systems, 1-26
- agarose, A-48
- alleles, A-14
- alternative splicing, A-40
- aminoacyl tRNA synthetase, A-23
- amplification, *see also* polymerase chain reaction
- amplification, of DNA, A-45, A-47
- amplified, A-45
- anaerobic metabolism, A-7
- anaerobically, A-30
- analog-to-digital converters, 1-24
- anaphase, A-12
- Anaphase I, A-13
- Anaphase II, A-14
- annealed, A-50
- anti-codon, A-22
- anti-codon site, A-22
- antibodies, A-32
- anticipation, in controllers, 1-31
- antisense strand, A-21
- antitermination, 1-18
- archaea, A-2
- asexual reproduction, A-11
- assembly, of a virus, A-17
- asymptotic stability, 3-6, 3-7, 3-9, 3-10
- ATP, A-8
- attachment, A-16
- attractor (equilibrium point), 3-8
- automotive control systems, 1-28
- autopilot, 1-27
- bacteria, A-15
- bacterial artificial chromosomes (BACs), A-47
- bacterial plasmids, A-46
- bacteriophages, A-15
- bacteriophages, A-15, A-47
- base excision repair, A-26
- base pairs, A-29
- Bell Labs, 1-26
- binary fission, A-11, A-15
- binomial distribution, C-2
- biological circuits
 - repressilator, 1-33–1-34, 2-24–2-25
- birth-death, C-15
- bistability, 1-34
- Black, H. S., 1-26, 1-27
- blastocyst, A-18
- block diagonal systems, 3-9
- block diagrams
 - control system, 1-24
- blotting, A-49
- blunt ends, A-46
- cAMP receptor protein (CRP), 1-16
- capsid, A-16, *see* viral capsid A-16
- carbon dioxide, A-8
- catabolite activator protein (CAP), 1-16
- cell
 - organization, A-2–A-3
- cell duplication, A-11
- cell envelope, A-3
- cell genome, A-3
- cell mass, A-18
- cell membrane, A-4
- cell types, A-11, A-18
- cell wall, A-3
- center (equilibrium point), 3-8

- Central Dogma, A-32
- centromeres, A-14, A-39
- chain termination method, A-50
- chaperones, A-17
- characteristic polynomial, 3-8
- charger protein, A-23
- chemical degradation method, A-50
- chemical kinetics, 2-5–2-6
- chemical Langevin equation, 4-10, 4-11
- chloroplast, A-29
- chloroplasts, A-9
- cholesterol receptor protein, A-44
- chromatid arms, A-13
- chromosome, A-5, A-12, A-13
- chromosomes, A-12–A-14
- cis-acting, A-41, A-42
- citric acid cycle, A-8
- cleaved, A-21
- cloning, A-45
- cloning vector, A-46
- closed complex, 1-11
- closed loop, 1-22
 - versus open loop, 1-22
- secoenzyme A, A-8
- coding strand, A-21
- codon, A-22
- codons, A-34
- coenzyme A, A-8
- cohesive ends, A-46
- combinatorial promoters, 1-17
- complementary, A-29
- complexity, of control systems, 1-28
- conjunction, A-15
- control
 - early examples, 1-26, 1-28
 - modeling for, 1-24
- control matrix, 3-5
- control signal, 3-3
- cooperative, 2-14
- coordinate transformations, 3-9
- core gene sequence, A-36
- cosmids, A-47
- cristae, A-7
- critical point, 3-31
- crossovers, A-13
- cruise control, 1-25–1-26
 - robustness, 1-26
- Curtiss seaplane, 1-27
- cycle sequencing, A-51
- cytokinesis, A-13, A-14
- cytoplasm, A-5
- cytoplasmic region, A-3
- cytoplasmic streaming, A-5
- cytosine, A-28
- cytoskeleton, A-4, A-5
- cytosol, A-5
- daughter nuclei, A-11
- dead zone, 1-30
- deamination, A-26
- degree of cooperativity, 2-24
- deleterious mutation, A-24
- denatured, A-49
- deoxynucleotides, A-51
- deoxyribonucleic acid, A-44
- deoxyribonucleic acid (DNA), A-5, A-28
- derivative action, 1-31
- derived cells, A-18
- describing functions, 3-30
- design of dynamics, 1-26–1-28, 3-10
- diagonal systems, 3-9
 - transforming to, 3-9
- dideoxynucleotide, A-51
- differential equations
 - first-order, 3-3
- differentiation, A-18, A-42, A-43
- diffusion term, 4-12
- digital-to-analog converters, 1-24
- diploid, A-13, A-14, A-18
- direct term, 3-5
- disturbance attenuation
 - in biological systems, 3-18
- disturbances, 3-4
- DNA, A-28
- DNA ligase, A-19, A-26
- DNA looping, 1-15
- DNA nucleotides, A-47
- DNA polymerase, A-19, A-26, A-51
- DNA repair systems, A-26
- DNA replication, A-17, A-19
- DNA template, A-51
- drift term, 4-12
- dyes, A-48
- dynamical systems, 1-21
 - linear, 3-8
- dynamics matrix, 3-5, 3-8

- early proteins, A-17
- economic systems, 1-29
- egg, A-18
- egg cell, A-14
- eigenvalues, 3-8
 - invariance under coordinate transformation, 3-9
- eigenvectors, 3-10
- electrodes, A-48
- elongation, A-23
- Elowitz, M. B., 2-24
- endocytosis, A-4, A-16
- endoplasmic reticulum, A-7
- endoplasmic reticulum (ER), A-9
- energy production, in a cell, A-7–A-9
- enhancers, A-41
- enthalpy, 4-3
- environmental science, 1-23
- enzymes, A-32
- equilibrium points, 3-6, 3-8
 - for planar systems, 3-7
 - region of attraction, 3-7
- ethidium bromide, A-49
- eukaryotes, A-2–A-3, A-37
- events, C-1
- exocytosis, A-17
- exons, A-34
- expectation, C-7
- exported proteins, A-9

- familial hypercholesterolemia, A-44
- feedback
 - as technology enabler, 1-23, 1-27
 - drawbacks of, 1-22, 1-28
 - in financial systems, 1-23
 - properties, 1-29
 - robustness through, 1-25
 - versus feedforward, 1-28
- feedback connection, 3-30
- feedback mechanisms, A-41
- feedforward, 1-28
- female life cycles, A-14
- filters
 - for measurement signals, 1-28
- flagella, A-3
- flavin-adenine dinucleotide (FAD), A-9
- flight control, 1-26
- fluorescent reporters, 1-33

- flush ends, A-46
- Fokker-Planck equations, 4-12
- forward Kolmogorov equation, 4-7
- fragmentation, 1-33
- free energy, 4-3
- frequency response, 3-2, 3-15

- gain, 3-30
- gametes, A-11, A-18
- Gaussian distribution, C-4
- gel, A-48
- gels, A-48
- gene prediction, A-36
- gene regulation, A-40–A-43
- gene regulatory sequences, A-40
- genes, A-5, A-28, A-44
- genetic marker, A-39
- genetic material, A-5
- genetic recombination, A-14
- genetic switch, 1-35
- genomes, A-28
- genomic imprinting, A-42
- germ cells, A-18
- germ line cells, A-18
- Gibbs free energy, 4-3
- global behavior, 3-7
- glucose, A-7–A-9
- glucose transporters, A-7
- glycolysis, A-7
- glycoproteins, A-17
- Golgi apparatus, A-9
- gradient, A-49
- granular chromatin, A-14
- guanine, A-28

- haploid, A-13, A-14
- heat shock, 1-16
- helicase, A-19
- hemoglobin, A-41
- hereditary traits, A-44
- Hill coefficient, 2-24
- Hill function, 2-24
- Hill functions, 2-14
- homeostasis, 1-23
- homologous recombination, A-26
- human development, A-18
- human genome, A-39
- hysteresis, 1-30

- inactivated genes, A-18
- independent assortment, A-14
- inducer, 1-16
- inducible error-prone repair, A-26
- initiator sequence, A-38
- inner membrane, of mitochondria, A-7
- input/output models, 3-1, 3-3
 - relationship to state space models, 3-4
- inputs, 3-4
- integral action, 1-31
- intercalating agent, A-49
- interphase, A-12, A-13
- introns, A-34
- isomerization, 1-11

- junk DNA, A-38

- kinase, 1-20, 2-29
- Kozak sequence, 1-13
- Kreb's cycle, A-8, A-9

- lagging strand, A-19
- large subunit, A-22
- late proteins, A-17
- leading strand, A-19
- licensing factors, A-20
- ligation, 1-33, A-46
- limit cycle, 3-30
- linear noise approximation, 4-13
- linear systems, 3-2, 3-5, 3-8
- linear time-invariant systems, 3-2, 3-5
- linearization, 3-10
- linkage, A-15
- linkage disequilibrium, A-15
- local behavior, 3-7, 3-10
- locally asymptotically stable, 3-7
- locus, A-14
- Locus Control Region (LCR), A-41
- lysis, A-17
- lysosomes, A-9
- lysozyme, A-17
- lytic proteins, A-17

- macrostate, 2-4
- male structures, A-14
- Markov chain, C-15
- Markov property, C-16
- mature mRNA, A-36
- mature RNA, 1-13
- mean, C-4, C-7
- measured signals, 3-3–3-5
- measurement noise, 1-24
- mechanical systems, 3-3
- mechanics, 3-3
- meiosis, A-11–A-14
 - Meiosis I, A-13, A-14
 - Meiosis II, A-14
- messenger RNA (mRNA), A-32
- Metaphase, A-13
- metaphase, A-12
 - Metaphase II, A-14
- metaphase plate, A-13
- methionine, A-23
- methyl group (-CH₃), A-42
- methylation, 1-21, A-42
- Michaelis-Menten kinetics, 2-16
- mismatch repair, A-26
- mitochondria, A-7–A-9
 - mitochondrial DNA (mtDNA), A-31
 - mitochondrial genome, A-5
 - Mitochondrial Theory of Aging, A-31
 - mitochondrion, A-29
- mitosis, A-11–A-12
- modeling
 - model reduction, 1-24
 - simplified models, use of, 3-4
- molecular and cellular biology, A-17
- molecular dynamics, 2-2
- molecular genetics, A-44
- molecular weights, A-48
- multipotent, A-18
- mutagenesis, A-26
- mutations, A-14, A-24, A-44

- NAD⁺, A-8
- NADH, A-8
- nascent RNA, A-21, A-38
- negative inducer, 1-16
- neutral stability, 3-6, 3-8
- nitrocellulose, A-49
- noise intensity, C-15
- nonlinear systems, 3-3, 3-10
 - linear approximation, 3-10
- normal distribution, C-4
- northern blotting, A-49
- nuclear DNA, A-29

- nuclear envelope, A-6, A-12
- nuclear genome, A-5
- nuclear membrane, A-13, A-14
- nucleic acid, A-28
- nucleotide, A-28
- Nucleotide excision repair, A-26
- nucleus, A-6, A-28
- Nyquist criterion, 3-30

- obligate intracellular parasites, A-15
- observability, 3-4
- Okazaki fragments, A-19
- omega limit set, 3-27
- omega-limit point, 3-27
- on-off control, 1-29, 1-30
- open complex, 1-11
- open loop, 1-22
- open reading frames, A-40
- operator, A-42
- operator region, 1-15
- operon, 1-15
- order, of a system, 3-5
- organelles, A-3, A-6
- Origin Recognition Complex, A-20
- Ornstein-Uhlenbeck process, C-14
- outer membrane, of mitochondria, A-7
- oxaloacetate, A-8

- P site, A-22
- parent of origin differences, A-42
- parental, A-15
- partition function, 2-3, 4-3
- penetration, of a virus, A-16
- peroxisomal targeting signal (PTS), A-10
- peroxisomes, A-9
- phase, 3-30
- phosphatase, 2-29
- phosphotransferase, 1-20
- photoreactivation, A-26
- photosynthesis, A-9
- PI control, 1-25, 1-31
- PID control, 1-30–1-31
- pili, A-3
- planar dynamical systems, 3-7
- plasma membrane, A-3, A-4
- plasmids, A-15, A-46
- platelets, A-18
- pluripotent, A-18

- Poisson distribution, C-3
- poly(A) tail, A-21
- polymerase chain reaction, A-45
- polymerase chain reaction (PCR), A-47
- polymerization, A-48
- polypeptide chain, A-23
- positive feedback, 1-29
- positive inducer, 1-16
- positively charged, A-48
- post-replication repair, A-26
- post-transcriptional modification, A-21, A-40
- post-translational modification, A-23
- pre-mRNA, 1-12
- prediction, in controllers, 1-31
- primer, A-51
- primers, A-47
- probability mass function, C-2
- probability measure, C-1
- probability space, C-1
- probe, A-49
- prokaryotes, A-2–A-3, A-37
- promoter sequence, A-21, A-41
- promoter site, A-37
- propensity function, 4-6
- prophase, A-12
- Prophase I, A-13
- Prophase II, A-14
- protease, A-24
- protein transport, A-17
- proteins, A-32–A-34
- pseudogene, A-39
- purines, A-28
- pyrimidines, A-28
- pyruvate, A-8, A-9
- pyruvic acid, A-8

- random process, C-8
- random variable, C-1
- reachability, 3-4
- recombinant DNA molecule, A-46
- recombinant plasmid, A-46
- recombination, A-14–A-15, A-36
- recombination repair, A-26
- red blood cells, A-18
- reduced stoichiometry matrix, 3-20
- reduction division, A-13
- reference signal, 1-29
- regulatory sequences, A-38

- release, of a virus, A-17
- repetitive DNA, A-38
- replication, A-11, A-19, A-46
- replication control mechanisms, A-20
- replication origin sites, A-20
- replication, of a virus, A-16
- repressilator, 1-33–1-34, 2-24–2-25
- repressor, 1-34, 2-25, 3-12
- repressor proteins, A-42
- repressors, A-41
- restriction enzyme, A-46
- restriction enzymes, 1-32
- retroviruses, A-16
- reverse transcriptase, A-16
- ribonucleic acid (RNA), A-5, A-32
- ribosomal complex, A-34
- ribosome, A-22, A-32, A-34
 - large and small subunits, A-7
- ribosome binding site (RBS), 1-12
- ribosomes, A-6
- RNA polymerase, A-20, A-22, A-37, A-41
- RNA polymerase II, A-37
- RNA processing, A-17
- RNA replicase, A-16
- robustness, 1-25–1-26
- rough ER, A-9
- running buffer, A-48

- saddle (equilibrium point), 3-8
- sample space, C-1
- satellite DNA, A-39
- screening, 1-33
- self-repression, 3-11
- sense strand, A-21
- sensor matrix, 3-5
- sensors, 1-23
- sequencing, A-50
- sexual reproduction, A-11
- Shine-Delgarno, 1-12
- Shine-Delgarno sequence, A-38
- sigma factors, 1-16
- sink (equilibrium point), 3-8
- sister chromatids, A-12
- slow manifold, 3-37
- small subunit, A-22
- smooth ER, A-9
- somatic cells, A-18
- SOS repair, A-26

- source (equilibrium point), 3-8
- Southern blotting, A-49
- sperm, A-18
- sperm cells, A-14
- spindle, A-12–A-14
- splice junctions, A-40
- spontaneous mutations, A-14
- stability, 1-26, 3-6
 - asymptotic stability, 3-6, 3-10
 - in the sense of Lyapunov, 3-6
 - local versus global, 3-7
 - neutrally stable, 3-6, 3-8
 - of a system, 3-8
 - of equilibrium points, 3-7
 - of linear systems, 3-8–3-10
 - of solutions, 3-7
 - unstable solutions, 3-7
 - using linear approximation, 3-10
- standard deviation, C-4
- start codon, 1-13, A-23, A-40
- state, of a dynamical system, 3-3, 3-4
- state space, 3-5
- state vector, 3-4
- stationary, C-16
- statistical mechanics, 2-2–2-5
- steam engines, 1-25
- stem cells, A-18
- step input, 3-2
- step response, 3-2, 3-3
- sticky ends, A-46
- stop codon, 1-13, A-23
- structural components, A-32
- structural genes, A-38
- superposition, 3-2
- switching (transcriptional regulation, A-41)
- switching behavior, 1-29
- symbiotic, A-30

- Taq polymerase, A-47
- TATA box, A-37
- telomeres, A-39
- telophase, A-12
- Telophase I, A-13
- Telophase II, A-14
- template DNA, A-47, A-50
- template strand, A-21, A-29
- termination region, 1-11, A-22
- terminator, 1-11

- thalassemias, A-41
- thymine, A-28
- time-invariant systems, 3-5
- trans-acting, A-41
- transcription, A-6, A-17, A-20, A-34, A-37, A-41–A-42
- transcription factors, A-41
- transcriptional regulation, 1-14
- transduction, A-15
- transfection, 1-33
- transfer RNA (tRNA), A-22
- transformation, A-15, A-46
- translation, A-6, A-22, A-38, A-42–A-43
- translational regulation, A-42
- transport molecules, A-32
- two step reaction model, 2-29

- ubiquitination, 1-21
- uncertainty, 1-24–1-26, 3-4
 - component or parameter variation, 1-24
 - disturbances and noise, 1-24, 3-4
 - unmodeled dynamics, 1-24
- uniform distribution, C-4
- unstable solution, for a dynamical system, 3-7, 3-8, 3-10

- vector, A-46
- viral capsid, A-16
- virion, A-15
- virions, A-15
- viruses, A-10, A-15, A-17
 - reproduction, A-15–A-17

- Watt steam engine, 1-25
- wells, A-48
- white blood cells, A-18
- wild-type, A-26
- Wright, W., 1-26

- X-inactivation, A-39

- yeast artificial chromosomes (YACs), A-47

