

---

---

## Bibliography

- [1] K. J. Åström and R. M. Murray. *Feedback Systems: An Introduction for Scientists and Engineers*. Princeton University Press, 2008. Available at <http://www.cds.caltech.edu/~murray/amwiki>.
- [2] B. Alberts, D. Bray, J. Lewis, M. Raff, K. Roberts, and J. D. Watson. *The Molecular Biology of the Cell*. Garland Science, fifth edition edition, 2008.
- [3] U. Alon. *An introduction to systems biology. Design principles of biological circuits*. Chapman-Hall, 2007.
- [4] W. Arber and S. Linn. DNA modification and restriction. *Annual Review of Biochemistry*, 38:467–500, 1969.
- [5] D. P. Atherton. *Nonlinear Control Engineering*. Van Nostrand, New York, 1975.
- [6] M. R. Atkinson, M. A. Savageau, J. T. Meyers, and A. J. Ninfa. Development of genetic circuitry exhibiting toggle switch or oscillatory behavior in *Escherichia coli*. *Cell*, pages 597–607, 2003.
- [7] D. Baker, G. Church, J. Collins, D. Endy, J. Jacobson, J. Keasling, P. Modrich, C. Smolke, and R. Weiss. ENGINEERING LIFE: Building a FAB for biology. *Scientific American*, June 2006.
- [8] A. Becskei and L. Serrano. Engineering stability in gene networks by autoregulation. *Nature*, 405:590–593, 2000.
- [9] F. D. Bushman and M. Ptashne. Activation of transcription by the bacteriophage 434 repressor. *PNAS*, pages 9353–9357, 1986.
- [10] A. J. Courey. *Mechanisms in Transcriptional Regulation*. Wiley-Blackwell, 2008.
- [11] H. de Jong. Modeling and simulation of genetic regulatory systems: A literature review. *Journal of Computational Biology*, 9:67–103, 2002.
- [12] D. Del Vecchio, A. J. Ninfa, and E. D. Sontag. Modular cell biology: Retroactivity and insulation. *Nature/EMBO Molecular Systems Biology*, 4:161, 2008.
- [13] M. B. Elowitz and S. Leibler. A synthetic oscillatory network of transcriptional regulators. *Nature*, 403(6767):335–338, 2000.
- [14] D. Endy. Foundations for engineering biology. *Nature*, 438:449–452, 2005.
- [15] T.S. Gardner, C.R. Cantor, and J.J. Collins. Construction of the genetic toggle switch in *Escherichia Coli*. *Nature*, page 339342, 2000.
- [16] D. T. Gillespie. A rigorous derivation of the chemical master equation. *Physica A*, (188):404–425, 1992.

- [17] D. Graham and D. McRuer. *Analysis of Nonlinear Control Systems*. Wiley, New York, 1961.
- [18] J. Greenblatt, J. R. Nodwell, and S. W. Mason. Transcriptional antitermination. *Nature*, 364(6436):401–406, 1993.
- [19] L.H. Hartwell, J.J. Hopfield, S. Leibler, and A.W. Murray. From molecular to modular cell biology. *Nature*, 402:47–52, 1999.
- [20] R. Heinrich, B. G. Neel, and T. A. Rapoport. Mathematical models of protein kinase signal transduction. *Molecular Cell*, 9:957–970, 2002.
- [21] C. F. Huang and J. E. Ferrell. Ultrasensitivity in the mitogen-activated protein kinase cascade. *Proc. Natl. Acad. Sci.*, 93(19):10078–10083, 1996.
- [22] B. Ingalls. A frequency domain approach to sensitivity analysis of biochemical networks. *Journal of Physical Chemistry B-Condensed Phase*, 108(3):143–152, 2004.
- [23] F. Jacob and J. Monod. Genetic regulatory mechanisms in the synthesis of proteins. *J. Mol. Biol.*, 3:318–56, 1961.
- [24] P. Kokotovic, H. K. Khalil, and J. O’Reilly. *Singular Perturbation Methods in Control*. SIAM, 1999.
- [25] H. Madhani. *From a to alpha: Yeast as a Model for Cellular Differentiation*. CSHL Press, 2007.
- [26] J. Mallet-Paret and H.L. Smith. The Poincaré-Bendixson theorem for monotone cyclic feedback systems. *J. of Dynamics and Differential Equations.*, 2:367–421, 1990.
- [27] J. D. Murray. *Mathematical Biology*, Vols. I and II. Springer-Verlag, New York, 3rd edition, 2004.
- [28] R. M. Murray. *Optimization-Based Control*. <http://www.cds.caltech.edu/~murray/amwiki/OBC>, Retrieved 20 December 2009.
- [29] National Center for Biotechnology Information. A science primer. Retrieved 20 December 2009, 2004. <http://www.ncbi.nlm.nih.gov/About/primer/genetics.html>.
- [30] National Human Genome Research Institute. Talking glossary of genetic terms. Retrieved 20 December 2009. <http://www.genome.gov/glossary>.
- [31] R. Phillips, J. Kondev, and J. Theriot. *Physical Biology of the Cell*. Garland Science, 2008.
- [32] M. Ptashne. *A genetic switch*. Blackwell Science, Inc., 1992.
- [33] G. De Rubertis and S. W. Davies. A genetic circuit amplifier: Design and simulation. *IEEE Trans. on Nanobioscience*, 2(4):239–246, 2003.
- [34] J. Saez-Rodriguez, A. Kremling, H. Conzelmann, K. Bettenbrock, and E. D. Gilles. Modular analysis of signal transduction networks. *IEEE Control Systems Magazine*, pages 35–52, 2004.
- [35] J. Saez-Rodriguez, A. Kremling, and E.D. Gilles. Dissecting the puzzle of life: modularization of signal transduction networks. *Computers and Chemical Engineering*, 29:619–629, 2005.

- [36] H. M. Sauro and B. Ingalls. MAPK cascades as feedback amplifiers. Technical report, <http://arxiv.org/abs/0710.5195>, Oct 2007.
- [37] H. M. Sauro and B. N. Kholodenko. Quantitative analysis of signaling networks. *Progress in Biophysics & Molecular Biology*, 86:5–43, 2004.
- [38] H.M. Sauro. The computational versatility of proteomic signaling networks. *Current Proteomics*, 1(1):67–81, 2004.
- [39] M. A. Savageau. Biochemical systems analysis. i. some mathematical properties of the rate law for the component enzymatic reactions. *J. Theoretical Biology*, 25:365–369, 1969.
- [40] D. L. Schilling and C. Belove. *Electronic Circuits: Discrete and Integrated*. McGraw Hill, 1968.
- [41] S. S. Shen-Orr, R. Milo, S. Mangan, and U. Alon. Network motifs in the transcriptional regulation network of *Escherichia coli*. *Nat. Genet.*, 31(1):64–68, 2002.
- [42] L. Villa-Komaroff, A. Efstratiadis, S. Broome, P. Lomedico, R. Tizard, S. P. Naber, W. L. Chick, and W. Gilbert. A bacterial clone synthesizing proinsulin. *Proc. Natl. Acad. Sci. U.S.A.*, 75(8):372731, 1978.

---



---

## Index

- A site, 1-22
- absorption, 1-16
- acceptor site, 1-22
- acetyl CoA, 1-8
- acetylation, 2-12
- activated genes, 1-18
- activator, 2-6, 2-33
- activators, 1-41
- adaptive/inducible repair, 1-26
- adenine, 1-28
- adenosine triphosphate (ATP), 1-7, 1-29
- aerobically, 1-30
- agarose, 1-48
- alleles, 1-14
- alternative splicing, 1-40
- aminoacyl tRNA synthetase, 1-23
- amplification, *see also* polymerase chain reaction
- amplification, of DNA, 1-45, 1-47
- amplified, 1-45
- anaerobic metabolism, 1-7
- anaerobically, 1-30
- anaphase, 1-12
- Anaphase I, 1-13
- Anaphase II, 1-14
- annealed, 1-50
- anti-codon, 1-22
- anti-codon site, 1-22
- antibodies, 1-32
- antisense strand, 1-21
- antitermination, 2-9
- archaea, 1-2
- asexual reproduction, 1-11
- assembly, of a virus, 1-17
- ATP, 1-8
- attachment, 1-16
  
- bacteria, 1-15
- bacterial artificial chromosomes (BACs), 1-47
- bacterial plasmids, 1-46
- bacteriophages, 1-15
- bacteriophages, 1-15, 1-47
- base excision repair, 1-26
- base pairs, 1-29
- binary fission, 1-11, 1-15
- biological circuits
  - repressilator, 2-32–2-33
- blastocyst, 1-18
- blotting, 1-49
- blunt ends, 1-46
  
- cAMP receptor protein (CRP), 2-8
- capsid, 1-16, *see* viral capsid 1-16
- carbon dioxide, 1-8
- catabolite activator protein (CAP), 2-8
- cell
  - organization, 1-2–1-3
- cell duplication, 1-11
- cell envelope, 1-3
- cell genome, 1-3
- cell mass, 1-18
- cell membrane, 1-4
- cell types, 1-11, 1-18
- cell wall, 1-3
- Central Dogma, 1-32
- centromeres, 1-14, 1-39
- chain termination method, 1-50
- chaperones, 1-17
- charger protein, 1-23
- chemical degradation method, 1-50
- chemical kinetics, 2-15
- chloroplast, 1-29
- chloroplasts, 1-9
- cholesterol receptor protein, 1-44
- chromatid arms, 1-13
- chromosome, 1-5, 1-12, 1-13
- chromosomes, 1-12–1-14
- cis-acting, 1-41, 1-42
- citric acid cycle, 1-8
- cleaved, 1-21
- cloning, 1-45
- cloning vector, 1-46

- closed complex, 2-3
- secoenzyme A, 1-8
- coding strand, 1-21
- codon, 1-22
- codons, 1-34
- coenzyme A, 1-8
- cohesive ends, 1-46
- combinatorial promoters, 2-9
- complementary, 1-29
- conjunction, 1-15
- core gene sequence, 1-36
- cosmids, 1-47
- cristae, 1-7
- critical point, 3-22
- crossovers, 1-13
- cycle sequencing, 1-51
- cytokinesis, 1-13, 1-14
- cytoplasm, 1-5
- cytoplasmic region, 1-3
- cytoplasmic streaming, 1-5
- cytosine, 1-28
- cytoskeleton, 1-4, 1-5
- cytosol, 1-5
  
- daughter nuclei, 1-11
- deamination, 1-26
- degree of cooperativity, 2-32
- deleterious mutation, 1-24
- denatured, 1-49
- deoxynucleotides, 1-51
- deoxyribonucleic acid, 1-44
- deoxyribonucleic acid (DNA), 1-5, 1-28
- derived cells, 1-18
- describing functions, 3-20
- dideoxynucleotide, 1-51
- differentiation, 1-18, 1-42, 1-43
- diploid, 1-13, 1-14, 1-18
- disturbance attenuation
  - in biological systems, 3-8
- DNA, 1-28
- DNA ligase, 1-19, 1-26
- DNA looping, 2-7
- DNA nucleotides, 1-47
- DNA polymerase, 1-19, 1-26, 1-51
- DNA repair systems, 1-26
- DNA replication, 1-17, 1-19
- DNA template, 1-51
- dyes, 1-48
  
- early proteins, 1-17
- egg, 1-18
- egg cell, 1-14
- electrodes, 1-48
- elongation, 1-23
- Elowitz, M. B., 2-32
- endocytosis, 1-4, 1-16
- endoplasmic reticulum, 1-7
- endoplasmic reticulum (ER), 1-9
- energy production, in a cell, 1-7–1-9
- enhancers, 1-41
- enzymes, 1-32
- ethidium bromide, 1-49
- eukaryotes, 1-2–1-3, 1-37
- exocytosis, 1-17
- exons, 1-34
- expectation, 4-5
- exported proteins, 1-9
  
- familial hypercholesterolemia, 1-44
- feedback connection, 3-20
- feedback mechanisms, 1-41
- female life cycles, 1-14
- flagella, 1-3
- flavin-adenine dinucleotide (FAD), 1-9
- flush ends, 1-46
- forward Kolmogorov equation, 4-12
- frequency response, 3-6
  
- gain, 3-21
- gametes, 1-11, 1-18
- gel, 1-48
- gels, 1-48
- gene prediction, 1-36
- gene regulation, 1-40–1-43
- gene regulatory sequences, 1-40
- genes, 1-5, 1-28, 1-44
- genetic marker, 1-39
- genetic material, 1-5
- genetic recombination, 1-14
- genomes, 1-28
- genomic imprinting, 1-42
- germ cells, 1-18
- germ line cells, 1-18
- glucose, 1-7–1-9
- glucose transporters, 1-7
- glycolysis, 1-7
- glycoproteins, 1-17

- Golgi apparatus, 1-9  
gradient, 1-49  
granular chromatin, 1-14  
guanine, 1-28
- haploid, 1-13, 1-14  
heat shock, 2-9  
helicase, 1-19  
hemoglobin, 1-41  
hereditary traits, 1-44  
Hill coefficient, 2-32  
Hill function, 2-32  
homologous recombination, 1-26  
human development, 1-18  
human genome, 1-39
- inactivated genes, 1-18  
independent assortment, 1-14  
inducer, 2-7  
inducible error-prone repair, 1-26  
initiator sequence, 1-38  
inner membrane, of mitochondria, 1-7  
intercalating agent, 1-49  
interphase, 1-12, 1-13  
introns, 1-34  
isomerization, 2-3
- junk DNA, 1-38
- Kozak sequence, 2-4  
Kreb's cycle, 1-8, 1-9
- lagging strand, 1-19  
large subunit, 1-22  
late proteins, 1-17  
leading strand, 1-19  
licensing factors, 1-20  
ligation, 1-46  
limit cycle, 3-21  
linkage, 1-15  
linkage disequilibrium, 1-15  
locus, 1-14  
Locus Control Region (LCR), 1-41  
lysis, 1-17  
lysosomes, 1-9  
lysozyme, 1-17  
lytic proteins, 1-17
- male structures, 1-14
- mature mRNA, 1-36  
mature RNA, 2-4  
mean, 4-5  
meiosis, 1-11–1-14  
Meiosis I, 1-13, 1-14  
Meiosis II, 1-14  
messenger RNA (mRNA), 1-32  
Metaphase, 1-13  
metaphase, 1-12  
Metaphase II, 1-14  
metaphase plate, 1-13  
methionine, 1-23  
methyl group (-CH<sub>3</sub>), 1-42  
methylation, 1-42, 2-12  
mismatch repair, 1-26  
mitochondria, 1-7–1-9  
mitochondrial DNA (mtDNA), 1-31  
mitochondrial genome, 1-5  
Mitochondrial Theory of Aging, 1-31  
mitochondrion, 1-29  
mitosis, 1-11–1-12  
molecular and cellular biology, 1-17  
molecular dynamics, 2-14  
molecular genetics, 1-44  
molecular weights, 1-48  
multipotent, 1-18  
mutagenesis, 1-26  
mutations, 1-14, 1-24, 1-44
- NAD<sup>+</sup>, 1-8  
NADH, 1-8  
nascent RNA, 1-21, 1-38  
negative inducer, 2-7  
nitrocellulose, 1-49  
noise intensity, 4-9  
northern blotting, 1-49  
nuclear DNA, 1-29  
nuclear envelope, 1-6, 1-12  
nuclear genome, 1-5  
nuclear membrane, 1-13, 1-14  
nucleic acid, 1-28  
nucleotide, 1-28  
Nucleotide excision repair, 1-26  
nucleus, 1-6, 1-28  
Nyquist criterion, 3-20
- obligate intracellular parasites, 1-15  
Okazaki fragments, 1-19

- omega limit set, 3-18
- omega-limit point, 3-18
- open complex, 2-3
- open reading frames, 1-40
- operator, 1-42
- operator region, 2-7
- operon, 2-7
- organelles, 1-3, 1-6
- Origin Recognition Complex, 1-20
- Ornstein-Uhlenbeck process, 4-8
- outer membrane, of mitochondria, 1-7
- oxaloacetate, 1-8
  
- P site, 1-22
- parent of origin differences, 1-42
- parental, 1-15
- partition function, 2-14
- penetration, of a virus, 1-16
- peroxisomal targeting signal (PTS), 1-10
- peroxisomes, 1-9
- phase, 3-21
- photoreactivation, 1-26
- photosynthesis, 1-9
- pili, 1-3
- plasma membrane, 1-3, 1-4
- plasmids, 1-15, 1-46
- platelets, 1-18
- pluripotent, 1-18
- poly(A) tail, 1-21
- polymerase chain reaction, 1-45
- polymerase chain reaction (PCR), 1-47
- polymerization, 1-48
- polypeptide chain, 1-23
- positive inducer, 2-7
- positively charged, 1-48
- post-replication repair, 1-26
- post-transcriptional modification, 1-21, 1-40
- post-translational modification, 1-23
- pre-mRNA, 2-4
- primer, 1-51
- primers, 1-47
- probe, 1-49
- prokaryotes, 1-2-1-3, 1-37
- promoter sequence, 1-21, 1-41
- promoter site, 1-37
- propensity function, 4-12
- prophase, 1-12
- Prophase I, 1-13
- Prophase II, 1-14
- protease, 1-24
- protein transport, 1-17
- proteins, 1-32-1-34
- pseudogene, 1-39
- purines, 1-28
- pyrimidines, 1-28
- pyruvate, 1-8, 1-9
- pyruvic acid, 1-8
  
- recombinant DNA molecule, 1-46
- recombinant plasmid, 1-46
- recombination, 1-14-1-15, 1-36
- recombination repair, 1-26
- red blood cells, 1-18
- reduced stoichiometry matrix, 3-11
- reduction division, 1-13
- regulatory sequences, 1-38
- release, of a virus, 1-17
- repetitive DNA, 1-38
- replication, 1-11, 1-19, 1-46
- replication control mechanisms, 1-20
- replication origin sites, 1-20
- replication, of a virus, 1-16
- repressilator, 2-32-2-33
- repressor, 2-33, 3-2
- repressor proteins, 1-42
- repressors, 1-41
- restriction enzyme, 1-46
- retroviruses, 1-16
- reverse transcriptase, 1-16
- ribonucleic acid (RNA), 1-5, 1-32
- ribosomal complex, 1-34
- ribosome, 1-22, 1-32, 1-34
  - large and small subunits, 1-7
- ribosome binding site (RBS), 2-3
- ribosomes, 1-6
- RNA polymerase, 1-20, 1-22, 1-37, 1-41
- RNA polymerase II, 1-37
- RNA processing, 1-17
- RNA replicase, 1-16
- rough ER, 1-9
- running buffer, 1-48
  
- satellite DNA, 1-39
- self-repression, 3-2
- sense strand, 1-21
- sequencing, 1-50

- sexual reproduction, 1-11
- Shine-Delgarno, 2-3
- Shine-Delgarno sequence, 1-38
- sigma factors, 2-8
- sister chromatids, 1-12
- slow manifold, 3-27
- small subunit, 1-22
- smooth ER, 1-9
- somatic cells, 1-18
- SOS repair, 1-26
- Southern blotting, 1-49
- sperm, 1-18
- sperm cells, 1-14
- spindle, 1-12–1-14
- splice junctions, 1-40
- spontaneous mutations, 1-14
- start codon, 1-23, 1-40, 2-5
- stem cells, 1-18
- sticky ends, 1-46
- stop codon, 1-23, 2-5
- structural components, 1-32
- structural genes, 1-38
- switching (transcriptional regulation, 1-41
- symbiotic, 1-30
  
- Taq polymerase, 1-47
- TATA box, 1-37
- telomeres, 1-39
- telophase, 1-12
- Telophase I, 1-13
- Telophase II, 1-14
- template DNA, 1-47, 1-50
- template strand, 1-21, 1-29
- termination region, 1-22, 2-3
- terminator, 2-3
- thalassemias, 1-41
- thymine, 1-28
- trans-acting, 1-41
- transcription, 1-6, 1-17, 1-20, 1-34, 1-37, 1-41–1-42
- transcription factors, 1-41
- transcriptional regulation, 2-6
- transduction, 1-15
- transfer RNA (tRNA), 1-22
- transformation, 1-15, 1-46
- translation, 1-6, 1-22, 1-38, 1-42–1-43
- translational regulation, 1-42
- transport molecules, 1-32
  
- ubiquitination, 2-12
  
- vector, 1-46
- viral capsid, 1-16
- virion, 1-15
- virions, 1-15
- viruses, 1-10, 1-15, 1-17
  - reproduction, 1-15–1-17
  
- wells, 1-48
- white blood cells, 1-18
- wild-type, 1-26
  
- X-inactivation, 1-39
  
- yeast artificial chromosomes (YACs), 1-47



